AMENDMENTS TO THE CLAIMS

- (Currently Amended) A method comprising the computer-implemented steps of:
 while an XML processor is performing a validation operation on an XML-based input
 stream, wherein the said XML processor is configured to send validated XML
 data to an application, performing the steps of:
 - while validating a particular XML element in said XML-based input stream, performing the computer-implemented steps of:
 - said XML processor receiving a request for particular information relating to said validation operation, wherein said request includes at least one of:
 - (a) a request for whether said particular XML element is defined
 in corresponding information that dictates the structure of
 said XML data in said XML-based input stream;
 - (b) a request for the name of said particular XML element;
 - (c) a request for the data type of said particular XML element;
 - (d) a request for whether said particular XML element conforms

 to the corresponding information that dictates the

 structure of said XML data in said XML-based input

 stream;
 - (e) a request for the current validation mode of said validation operation;
 - (f) a request for the current state of said validation operation; or
 - (g) a request for one or more annotations that are associated with said particular XML element;
 - eausing said XML processor to generate generating one or more messages that include said particular information indicate to the application how the application is to process said particular XML element, by identifying one or more annotations that are associated with said particular XML element; and

said XML processor responding to [[a]] said request for said particular information about said particular XML element by providing said one or more messages.

2. (Currently Amended) The method of Claim 1, further comprising the computerimplemented step of:

while said XML processor is perform[[s]]ing said validation operation on said XML-based input stream,

receiving a request for said one or more annotations;

wherein the step of eausing said XML processor to generate generating said one or more messages is performed in response to receiving said request.

- 3. (Currently Amended) The method of Claim 2 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving [[a]] said request via an application program interface through which information about said validation operation can be requested by the application.
- 4. (Currently Amended) The method of Claim 1, wherein the step of eausing said XML processor to generate generating said one or more messages includes eausing said XML processor to generate generating said one or more messages that are transmitted in an output stream.
- 5. (Currently Amended) The method of Claim 1, wherein the step of eausing said XML processor to generate generating said one or more messages includes causing said XML processor to generate said one or more messages before completion of said validation operation on said XML-based input stream.
- (Currently Amended) The method of Claim 1,
 wherein said validation operation includes performing a validation operation on said
 particular XML element of said XML-based input stream; and

wherein the step of causing said XML processor to generate generating said one or more messages includes causing said XML processor to generate said one or more messages that indicate how to process said particular XML element, only if said particular XML element is determined valid based on said validation operation on said particular XML element.

7-12. (Canceled)

13. (Currently Amended) A method comprising the computer implemented steps of: The method of Claim 1,

while performing a validation operation on an XML based input stream, performing the steps of:

receiving a request for particular information; and

responding to said request by providing said particular information;

wherein said particular information, which is included in said one or more messages, comprises one or more of:

first data indicating whether said particular XML element is defined in the

corresponding information that dictates the structure of said XML data in

said XML-based input stream;

the name of a node the particular XML element that is currently being processed; the data type of the node particular XML element that is currently being processed;

second data indicating whether said particular XML element conforms to the

corresponding information that dictates the structure of said XML data in

said XML-based input stream;

the current validation mode for the node particular XML element that is currently being processed, wherein the current validation mode is one of strict mode, lax mode, and skip mode;

the current state of said validation operation; and or

the one or more annotations that are associated with the node particular XML element that is currently being processed.

Ser. No. 10/798,474 filed 03/10/2004 Scardina et al – GAU 2176 (Tran) Submission in Support of RCE

- 14. (Currently Amended) The method of Claim 13 1, wherein the step of receiving a request includes receiving a request regarding whether a first element of said XML-based input stream is defined in corresponding information that dictates the structure of XML data.
- 15. (Currently Amended) The method of Claim 13 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request regarding what data type definition is associated with first said particular XML element of said XML-based input stream, wherein said data type is defined in information that dictates the structure of corresponding XML data.
- 16. (Currently Amended) The method of Claim 15 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request regarding what data type definition is associated with an attribute of said first particular XML element, wherein said data type that is associated with said attribute is defined in said information that dictates the structure of corresponding XML data.
- 17. (Currently Amended) The method of Claim 13 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request regarding whether a data type of content of first said particular XML element of said XML-based input stream conforms to a corresponding data type definition in information that dictates the structure of corresponding XML data.
- 18. (Currently Amended) The method of Claim 13 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request regarding a first annotation that is associated with first said particular XML element of said XML-based input stream, wherein said first annotation is defined in information that dictates the structure of corresponding XML data.

Ser. No. 10/798,474 filed 03/10/2004 Scardina et al – GAU 2176 (Tran) Submission in Support of RCE

19. (Currently Amended) The method of Claim 18, wherein said information that dictates the structure of corresponding XML data comprises a second annotation definition that is associated with a second XML element of said XML-based input stream that is different than said particular XML element, and wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request regarding said second annotation, the method further comprising the computerimplemented step of:

before responding to said request regarding said second annotation, responding to a request regarding whether said first particular XML element is defined in said information that dictates the structure of corresponding XML data.

- 20. (Currently Amended) The method of Claim 13 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request regarding a status of said validation operation with respect to a first said particular XML element of said XML-based input stream.
- 21. (Canceled)
- 22. (Currently Amended) The method of Claim 13 1, wherein the step of said XML processor receiving [[a]] said request for said particular information includes receiving a request from an event handler sent in response to an event received in a parser output stream.
- 23. (Currently Amended) The method of Claim 13 1, wherein the step of said XML processor responding to said request includes providing, in an output stream, said particular information.
- 24. (Currently Amended) The method of Claim 43 1, further comprising the computer-implemented step of:

parsing said XML-based input stream only once for both of said validation operation and operations that are dictated by annotations associated with elements in said XML-based input stream.

25. (Currently Amended) The method of Claim 13 1, wherein information that dictates the structure of corresponding said XML data in said XML-based input stream, with which said input stream is validated in said validation operation, comprises a plurality of schema definitions that are associated with a plurality of corresponding XML documents that could be constituent to said XML-based input stream.

26-38. (Canceled)

- 39. (Currently Amended) A computer-readable <u>volatile</u> or <u>non-volatile</u> medium storing instructions for:
 - a validator that validates elements and attributes in an XML-based input stream against information that dictates the structure of corresponding elements and attributes, said validator comprising:
 - a state machine that <u>receives and</u> responds to requests for particular information associated with a first element in said XML-based input stream, while validating said first element;
 - wherein <u>said requests for</u> said particular information comprise[[s]] one or more of:
 - (a) a request for whether said first element is defined in said information
 that dictates the structure of said corresponding elements and
 attributes;
 - (b) a request for the name of said first element;
 - (c) a request for the data type of said first element;
 - (d) a request for whether said first element conforms to said information
 that dictates the structure of said corresponding elements and
 attributes;

- (e) a request for the current validation mode for said first element, wherein the current validation mode is one of strict mode, lax mode, and skip mode;
- (e) a request for the current state of a validation operation currently being performed on said first element; and or
- (f) a request for one or more annotations that are associated with said first element.
- 40. (Previously Presented) The computer-readable medium of Claim 39, wherein said state machine is able to respond to a request for information about an annotation associated with said first element, while validating elements or attributes in said XML-based input stream.
- 41. (Previously Presented) The computer-readable medium of Claim 39, wherein said state machine is able to respond to a request that is responsive to an event in a parsed output stream that is based on said XML-based input stream.
- 42. (Currently Amended) The method of Claim 1, further comprising the computerimplemented step of:
 reading said one or more annotations from metadata that corresponds to said XMLbased input stream.
- 43. (Currently Amended) The method of Claim 1, further comprising the computerimplemented step of:
 reading said one or more annotations from an XML schema that corresponds to said
 XML-based input stream.
- 44. (Currently Amended) The method of Claim 1, wherein the step of eausing said XML processor to generate generating said one or more messages includes causing said XML processor to generate said one or more messages that indicate to the application how to

conform said particular XML element to one or more requirements of the application that uses said particular XML element.

45-47. (Canceled)

- 48. (Currently Amended) A computer-readable storage medium storing one or more sequences of instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of:
 - while an XML processor is performing a validation operation on an XML-based input stream, wherein the XML processor is configured to send validated XML data to an application, performing the steps of:
 - while validating a particular XML element in said XML-based input stream, performing the computer-implemented steps of:
 - said XML processor receiving a request for particular information relating to said validation operation, wherein said request includes at least one of:
 - (a) a request for whether said particular XML element is defined in corresponding information that dictates the structure of said XML data in said XML-based input stream;
 - (b) a request for the name of said particular XML element;
 - (c) a request for the data type of said particular XML element;
 - (d) a request for whether said particular XML element conforms

 to the corresponding information that dictates the

 structure of said XML data in said XML-based input

 stream;
 - (e) a request for the current validation mode of said validation operation;
 - (f) a request for the current state of said validation operation; or
 - (g) a request for one or more annotations that are associated with said particular XML element;

- eausing said XML processor to generate generating one or more messages that include said particular information indicate to the application how the application is to process said particular XML element, by identifying one or more annotations that are associated with said particular XML element; and said XML processor responding to [[a]] said request for said particular information about said particular XML element by providing said one or more messages.
- 49. (Currently Amended) The computer-readable storage medium of Claim 48, wherein the one or more sequences of instructions further comprise instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of:

while said XML processor is performing said validation operation on said XML based input stream,

receiving a request for said one or more annotations;

wherein the instructions that cause said XML processor to generate <u>said</u> one or more messages are performed in response to <u>receiving</u> said request.

- 50. (Currently Amended) The computer-readable storage medium of Claim [[49]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processors receiving [[a]] said request for said particular information includes instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of receiving [[a]] said request via an application program interface through which information about said validation operation can be requested by the application.
- 51. (Currently Amended) The computer-readable storage medium of Claim 48, wherein the instructions that cause the one or more processors to perform the step of eausing said XML processor to generate generating said one or more messages includes instructions

which, when executed by the one or more processors, cause said XML processor to generate <u>said</u> one or more messages that are transmitted in an output stream.

- 52. (Currently Amended) The computer-readable storage medium of Claim 48, wherein the instructions that cause the one or more processors to perform the step of eausing said XML processor to generate generating said one or more messages include instructions which, when executed by the one or more processors, cause said XML processor to generate said one or more messages before completion of said validation operation on said XML-based input stream.
- 53. (Currently Amended) The computer-readable storage medium of Claim 48, wherein said validation operation includes performing a validation operation on said particular XML element of said XML-based input stream; and wherein the instructions that cause the one or more processors to perform the step of causing said XML processor to generate generating said one or more messages include instructions which, when executed by the one or more processors, cause said XML processor to generate said one or more messages that indicate how to process said particular XML element, only if said particular XML element is determined valid based on said validation operation on said particular XML element.
- 54. (Currently Amended) A computer readable storage medium storing one or more sequences of instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of The computer-readable storage medium of Claim 48:

while performing a validation operation on an XML based input stream, performing the steps of:

receiving a request for particular information; and responding to said request by providing said particular information;

- wherein said particular information, which is included in said one or more messages, comprises one or more of:
 - first data indicating whether said particular XML element is defined in the

 corresponding information that dictates the structure of said XML data in

 said XML-based input stream;
 - the name of a node the particular XML element that is currently being processed; the data type of the node particular XML element that is currently being processed;
 - second data indicating whether said particular XML element conforms to the

 corresponding information that dictates the structure of said XML data in

 said XML-based input stream;
 - the current validation mode for the node particular XML element that is currently being processed, wherein the current validation mode is one of strict mode, lax mode, and skip mode;

the current state of said validation operation; and or

- the one or more annotations that are associated with the node particular XML element that is currently being processed.
- 55. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of receiving a request include instructions which, when executed by one or more processors, cause the one or more processors to perform the step of receiving a request regarding whether a first element of said XML-based input stream is defined in corresponding information that dictates the structure of XML data.
- 56. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by one or more processors, cause the one or more processors to perform the step of receiving a request regarding what data type definition is associated with first said particular XML element of said XML-based input stream,

wherein said data type is defined in information that dictates the structure of corresponding XML data.

- 57. (Currently Amended) The computer-readable storage medium of Claim [[56]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of receiving a request regarding what data type definition is associated with an attribute of said first particular XML element, wherein said data type that is associated with said attribute is defined in said information that dictates the structure of corresponding XML data.
- 58. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of receiving a request regarding whether a data type of content of first said particular XML element of said XML-based input stream conforms to a corresponding data type definition in information that dictates the structure of corresponding XML data.
- 59. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of receiving a request regarding a first annotation that is associated with first said particular XML element of said XML-based input stream, wherein said first annotation is defined in information that dictates the structure of corresponding XML data.

- 60. (Currently Amended) The computer-readable storage medium of Claim 59, wherein said information that dictates the structure of corresponding XML data comprises a second annotation definition that is associated with a second XML element of said XML-based input stream that is different than said particular XML element, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of receiving a request regarding said second annotation, and wherein the one or more sequences of instructions further comprise instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of:
 - before responding to said request regarding said second annotation, responding to a request regarding whether said first particular XML element is defined in said information that dictates the structure of corresponding XML data.
- 61. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of receiving a request regarding a status of said validation operation with respect to a first said particular XML element of said XML-based input stream.
- 62. (Canceled)
- 63. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor receiving [[a]] said request for said particular information include instructions which, when executed by the one or more processors, cause the one or more

processors to perform the step of receiving a request from an event handler sent in response to an event received in a parser output stream.

- 64. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the instructions that cause the one or more processors to perform the step of said XML processor responding to said request include instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of providing, in an output stream, said particular information.
- 65. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein the one or more sequences of instructions further comprise instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of:

parsing said XML-based input stream only once for both of said validation operation and operations that are dictated by annotations associated with elements in said XML-based input stream.

- 66. (Currently Amended) The computer-readable storage medium of Claim [[54]] 48, wherein information that dictates the structure of corresponding said XML data in said XML-based input stream, with which said input stream is validated in said validation operation, comprises a plurality of schema definitions that are associated with a plurality of corresponding XML documents that could be constituent to said XML-based input stream.
- 67. (Previously Presented) The computer-readable storage medium of Claim 48, wherein the one or more sequences of instructions further comprise instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of:

reading said one or more annotations from metadata that corresponds to said XML-based input stream.

Ser. No. 10/798,474 filed 03/10/2004 Scardina et al – GAU 2176 (Tran) Submission in Support of RCE

- 68. (Previously Presented) The computer-readable storage medium of Claim 48, wherein the one or more sequences of instructions further comprise instructions which, when executed by the one or more processors, cause the one or more processors to perform the step of: reading said one or more annotations from an XML schema that corresponds to said XML-based input stream.
- 69. (Currently Amended) The computer-readable storage medium of Claim 48, wherein the instructions that cause the one or more processors to perform the step of eausing said XML processor to generate generating said one or more messages include instructions which, when executed by the one or more processors, cause said XML processor to generate said one or more messages that indicate to the application how to conform said particular XML element to one or more requirements of the application that uses said particular XML element.